

Type	Hits	Search Text	DBs	Time Stamp
1 IS&R	7	(("5642196") or ("5473432") or ("5610716") or ("5633712") or ("5646734") or ("5850287"));PN.	USPAT	2003/05/06 13:27
2 BRS	7	5473432.uref.	USPAT	2003/05/06 12:34
3 BRS	2053	measur\$3 near gap	USPAT	2003/05/15 15:06
4 BRS	862	(measur\$3 near gap) and light	USPAT	2003/05/06 09:38
5 BRS	453	((measur\$3 near gap) and light) and reflect\$3	USPAT	2003/05/15 13:42
6 BRS	81	(((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)	USPAT	2003/05/06 11:56
7 BRS	45	((measur\$3 near gap) and light) and subtract	USPAT	2003/05/06 11:57
8 BRS	41	(((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity))	USPAT	2003/05/06 12:26
9 BRS	16	4070116.uref.	USPAT	2003/05/06 12:26
10 BRS	2	5633712.uref.	USPAT	2003/05/06 12:32
11 BRS	4	5731876.uref.	USPAT	2003/05/06 12:35
12 BRS	0	5731876.uref. and subtract\$3	USPAT	2003/05/06 12:35
13 BRS	4308	measur\$3 near gap	USPAT; EPO; JPO; DERWENT	2003/05/06 12:37
14 BRS	3836	(measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))	USPAT; EPO; JPO; DERWENT	2003/05/06 12:38
15 BRS	4186	(measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))	USPAT; EPO; JPO; DERWENT	2003/05/06 12:39

Type	Hits	Search Text	DBs	Time Stamp
16	BRS 248	((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and subtract\$3	USPAT; EPO; JPO; DER WENT	2003/05/06 12:39
17	BRS 97	((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and subtract\$3	USPAT; EPO; JPO; DER WENT	2003/05/06 12:40
18	BRS 18	((((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and subtract\$3) and reflect\$3) and micron\$1	USPAT; EPO; JPO; DER WENT	2003/05/06 12:47

Type	Hits	Search Text	DBs	Time Stamp
19	79	(((((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and subtract\$3) and reflect\$3) not (((((measur\$3 near gap) not (((((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)) or (((measur\$3 near gap) and light) and subtract) or (((measur\$3 near gap) and light) and subtract) not (((measur\$3 near gap) and light) and reflect\$3) and (slot or cavity)))) and subtract\$3) and reflect\$3) and micron\$1)	USPAT; EPO; JPO; DERWENT	2003/05/06 12:47
20	335	356/\$.ccls. and reflectometry	USPAT	2003/05/06 13:27
21	58	(356/\$.ccls. and reflectometry) and (measur\$3 near (gap or thickness))	USPAT	2003/05/06 16:14
22	866	356/630,632,635,626,625.cccls.	USPAT	2003/05/06 16:14
23	1099	250/559.24,559.26,559.27,559.4.cccls.	USPAT	2003/05/06 16:18
24	123	356/630,632,635,626,625.cccls. and 250/559.24,559.26,559.27,559.4.cccls.	USPAT	2003/05/06 16:19
25	1842	356/630,632,635,626,625.cccls. or 250/559.24,559.26,559.27,559.4.cccls.	USPAT	2003/05/06 16:24
26	890	(356/630,632,635,626,625.cccls. or 250/559.24,559.26,559.27,559.4.cccls.) and (thickness or gap)	USPAT	2003/05/06 16:24
27	168	((356/630,632,635,626,625.cccls. or 250/559.24,559.26,559.27,559.4.cccls.) and (thickness or gap)) and subtract\$3	USPAT	2003/05/06 16:25
28	107	cell adj gap same measurement	USPAT	2003/05/15 14:52
29	4339	measur\$3 near gap	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 15:07

Type	Hits	Search Text	DBs	Time Stamp
30	BRS	1264 (measur\$3 near gap) and light	USPAT; EPO; JPO; DER WENT; IBM_TDB	2003/05/15 15:08
31	BRS	369 (((measur\$3 near gap) and light) and (slot or hole or recess))	USPAT; EPO; JPO; DER WENT; IBM_TDB	2003/05/15 15:09
32	BRS	367 (((measur\$3 near gap) and light) and (slot or hole or recess)) and @ad<20011019	USPAT; EPO; JPO; DER WENT; IBM_TDB	2003/05/16 11:03
33	BRS	0 "20030035117"	USPAT; EPO; JPO; DER WENT; IBM_TDB	2003/05/16 11:04
34	IS&R	0 ("20030035117").PN.	USPAT	2003/05/16 11:03
35	IS&R	0 ("20030035117*").PN.	USPAT	2003/05/16 11:03
36	BRS	1 "20030035117"	US-PGPUB	2003/05/16 11:04